

ATMOSPHERE

VACUUM

28285/1/9 OR

ENVIRONMENTAL CONDITIONS

TEMP -40° TO +225°F
PRESSURE VACUUM
CHEMICALS OTHER

QC TESTING

ELECTRICAL HIPOT @ 1000VAC
VACUUM LEAK @ 1 X 10(-8) STD cc He/sec
PRESSURE LEAK @

CONSTRUCTION


INTERNAL 8232
EXTERNAL
POTTING 1469/1481

HOUSING SPECIFICATIONS

HSG P/N 13173
THREAD 1.33"Ø
MAT'L STAINLESS STEEL
TYPE CONFLAT FLANGE

LEAD WIRE / CONNECTOR DATA

CONTAINS
(6) #12AWG CUAG 1000V TEFLON WIRES, 1996-12-0.



NOTES:

1. NOT ALL WIRES SHOWN.
2. MARK/TAG WIRES END TO END.

UNLESS NOTED: All Dimension In Inches, Remove All Burrs, Break All Sharp Edges, Tolerances: .XX ±.01, .XXX ±.005

DE 2

DOUGLAS ENGINEERING COMPANY

14 Beach Street, Rockaway, NJ 07866
PH: 973-627-8230 FX: 973-627-5798

Customer Approval:

By: _____

Date: **MAR 8 2004**

MASTER

ECN#	REV	APP'D	DATE	Title	Rev.
				1.33 CONFLAT FLANGE F/T	OR
				Drawn TW	
				Date 3/16/2004	
				App'd <i>mjk</i>	
				Date 3/11/04	
				Dwg No	
				28285/1/9	

Ref: CAMEOID LTD

SCALE: NTS SHEET 1 OF 1

FIRST ARTICLE INSPECTION: REQUIRED NOT REQUIRED